

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Wednesday, December 06, 2006

Hide? **Set Name Query**

Hit Count

DB=PGPB,USPT,JPAB,DWPI; PLUR=YES; OP=ADJ

<input type="checkbox"/>	L9	L7 and (l1 or l2 or l3 or l4 or l5)	2
<input type="checkbox"/>	L7	high grade near3 dysplas\$	154
<input type="checkbox"/>	L6	l1 and l2 and l3 and l4 and L5	1
<input type="checkbox"/>	L5	TCF4 or TCF-4 or TCF7L2	218
<input type="checkbox"/>	L4	ACCN3 or ASIC3 or TNaC1 or SLNAC1	36
<input type="checkbox"/>	L3	MAT2B or TGR or MAT-II or MGC12237 or MATIIbeta or Nbla02999	820
<input type="checkbox"/>	L2	TM7SF1 or GPR137B	18
<input type="checkbox"/>	L1	AG2 or GOB-4 or HAG-2 or XAG-2	1281

END OF SEARCH HISTORY

\$\$\$STN;HighlightOn= ***;HighlightOff=*** ;

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspla1633cxq

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 *Ask CAS* for self-help around the dock
NEWS 3 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 4 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 5 AUG 30 CA(SM)/CAPLUS(SM) Austrian patent law changes
NEWS 6 SEP 11 CA/CAPLUS enhanced with more pre-1907 records
NEWS 7 SEP 21 CA/CAPLUS fields enhanced with simultaneous left and right truncation
NEWS 8 SEP 25 CA(SM)/CAPLUS(SM) display of CA Lexicon enhanced
NEWS 9 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS 10 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 11 SEP 28 CEABA-VTB classification code fields reloaded with new classification scheme
NEWS 12 OCT 19 LOGOFF HOLD duration extended to 120 minutes
NEWS 13 OCT 19 E-mail format enhanced
NEWS 14 OCT 23 Option to turn off MARPAT highlighting enhancements available
NEWS 15 OCT 23 CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS 16 OCT 23 The Derwent World Patents Index suite of databases on STN has been enhanced and reloaded
NEWS 17 OCT 30 CHEMLIST enhanced with new search and display field
NEWS 18 NOV 03 JAPIO enhanced with IPC 8 features and functionality
NEWS 19 NOV 10 CA/CAPLUS F-Term thesaurus enhanced
NEWS 20 NOV 10 STN Express with Discover! free maintenance release Version 8.01c now available
NEWS 21 NOV 13 CA/CAPLUS pre-1967 chemical substance index entries enhanced with preparation role
NEWS 22 NOV 20 CAS Registry Number crossover limit increased to 300,000 in additional databases
NEWS 23 NOV 20 CA/CAPLUS to MARPAT accession number crossover limit increased to 50,000
NEWS 24 NOV 20 CA/CAPLUS patent kind codes will be updated
NEWS 25 DEC 01 CAS REGISTRY updated with new ambiguity codes

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0j(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 15:53:33 ON 06 DEC 2006

=> FIL EMBASE BIOSIS CAPLUS
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 0.21 0.21

FILE 'EMBASE' ENTERED AT 15:53:48 ON 06 DEC 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 15:53:48 ON 06 DEC 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 15:53:48 ON 06 DEC 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

=> s AG2 or GOB 4 or HAG 2 or XAG 2
L1 2855 AG2 OR GOB 4 OR HAG 2 OR XAG 2

=> s TM7SF1 or GPR137B
L2 17 TM7SF1 OR GPR137B

=> s MAT2B or TGR or MAT II or MGC12237 or MATIIBeta or Nbla02999
L3 1660 MAT2B OR TGR OR MAT II OR MGC12237 OR MATIIBETA OR NBLA02999

=> s ACCN3 or ASIC3 or TNAc1 or SLNAC1
L4 231 ACCN3 OR ASIC3 OR TNAc1 OR SLNAC1

=> s TCF4 or TCF 4 or TCF7L2
L5 1229 TCF4 OR TCF 4 OR TCF7L2

=> s I1 and I2 and I3 and I4 and I5
L6 0 L1 AND L2 AND L3 AND L4 AND L5

=> s high grade (3a) dysplas?
L7 3311 HIGH GRADE (3A) DYSPLAS?

=> s I7 and (I1 or I2 or I3 or I4 or I5)
L8 2 L7 AND (L1 OR L2 OR L3 OR L4 OR L5)

=> dup rem I8
PROCESSING COMPLETED FOR L8
L9 2 DUP REM L8 (0 DUPLICATES REMOVED)

=> d bib abs 1-
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y(N):y

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
AN 2004:430945 CAPLUS <<LOGINID:20061206>>

DN 141:2415
TI Methods and compositions for diagnosing dysplasia
IN Smith, Victoria
PA Genentech, Inc., USA
SO PCT Int. Appl., 256 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004044178	A2	20040527	WO 2003-US36260	20031113
WO 2004044178	A3	20050922		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2503621	AA	20040527	CA 2003-2503621	20031113
AU 2003295511	A1	20040603	AU 2003-295511	20031113
US 2004146907	A1	20040729	US 2003-712124	20031113
EP 1578940	A2	20050928	EP 2003-786703	20031113
EP 1578940	A3	20051109		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI US 2002-425813P	P	20021113		
WO 2003-US36260	W	20031113		

AB Methods and compns. are disclosed for detecting dysplasia in a tissue sample, screening candidate compds. for the ability to inhibit growth of a cancer cell, predicting predisposition to adenocarcinoma and treating cancer based on gene expression profiles.

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
AN 2005:968222 CAPLUS <<LOGINID:20061206>>

DN 144:67750
TI Alterations of p53 gene and microsatellite instability in ulcerative colitis and ulcerative colitis-associated colorectal cancer
AU Li, Jun; Lai, Maode; Huang, Qiong
CS College of Medicine, Zhejiang University, Hangzhou, Zhejiang Province, 310031, Peop. Rep. China
SO Zhejiang Daxue Xuebao, Yixueban (2004), 33(2), 108-114
CODEN: ZDXYA9; ISSN: 1008-9292
PB Zhejiang Daxue Chubanshe
DT Journal
LA Chinese
AB To study the expression of p53 protein, incidence of p53 gene mutation and microsatellite instability in ulcerative colitis, dysplasia of colonic mucosa and ulcerative colitis-assocd. colorectal cancer, p53 protein expression was detected by immunohistochem. in 70 specimens from 21 cases of ulcerative colitis and 25 colonic mucosa specimens from normal subjects. The specimens of ulcerative colitis were examd. for the mutation in exons 5, 6, 7, 8 of p53 gene with microdissection-PCR-SSCP/H-

clone-sequencing technique and the alterations in 10 microsatellite loci with microdissection-PCR-SSLP-clone-sequencing technique. None of 25 normal specimens was p53-pos. immunohistochem., while 4/21 of ulcerative colitis specimens were p53-pos. P53-pos. rate in inflammatory mucosa of ulcerative colitis specimens was 0/5, while that was 1/7, 2/7 and 1/2 in low-grade ***dysplasia*** (LGD), ***high*** - ***grade***
 dysplasia (HGD) and carcinoma, resp. The abnormal exons were detected by SSCP and confirmed by sequencing in 2 out of 21 cases: one was exon 6 in a case with carcinoma and the other was exon 8 in an HGD case; and both had pos. P53 expression. Two cases showed pos. in Bat26 locus by SSLP: one was a LGD case, and the other was a case of carcinoma, who also had abnormal exon 6 of p53 gene. Other 9 microsatellite loci, (TGF.beta.RII(A)10, IGFIR(G)8, IGFIR(CT)5, TGF.beta.RII(GT)3, BAX(G)8, hMSH3(A)8, hMSH6(C)8, ***TCF4*** (A)9 and DPC4(CA)17) showed neg. in all cases. P53 gene mutations and microsatellite instability may be the mechanisms for higher risk of carcinogenesis in ulcerative colitis.

```
=> FIL STNGUIDE
COST IN U.S. DOLLARS          SINCE FILE  TOTAL
                                ENTRY  SESSION
FULL ESTIMATED COST                66.41   66.62

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)  SINCE FILE
TOTAL
                                ENTRY  SESSION
CA SUBSCRIBER PRICE                -1.50   -1.50
```

FILE 'STNGUIDE' ENTERED AT 15:58:55 ON 06 DEC 2006
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
 AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM
 KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Dec 1, 2006 (20061201/UP).

=>

--Logging off of STN--

=>

Executing the logoff script...

=> LOG Y

```
COST IN U.S. DOLLARS          SINCE FILE  TOTAL
                                ENTRY  SESSION
FULL ESTIMATED COST                0.06   66.68

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)  SINCE FILE
TOTAL
                                ENTRY  SESSION
CA SUBSCRIBER PRICE                0.00   -1.50
```

STN INTERNATIONAL LOGOFF AT 15:59:03 ON 06 DEC 2006